



OLD



NEW

Fan Upgrade Kits. If you have 5 minutes, it's easy to make a tired old fan new again.

Broan-NuTone® made upgrading your bath ventilation fan easier than ever. In a matter of minutes, our convenient kits enable you to put a fresh face on a reliable fan, add lighting, a Bluetooth® wireless speaker, or even a performance kit to reduce sound by up to 50%. Upgrade fan covers don't require any tools for installation. For performance kits, all you need is a flat head screwdriver. It's another fresh idea for fresher air.



**No drywall
cutting**



**No drywall
patching**



**Plug-in
upgrade**



No wiring



NEW

QUICKIT® QK60 (NEW), QKN60

- Reduces sound by up to 50% while improving air movement by up to 20%
- 60 CFM adequately ventilates smaller baths and powder rooms
- 2.5 Sones provides quiet performance
- White fan cover blends well with any décor
- Fan cover stays cleaner longer with fewer vent slots to clean
- Motor plate accommodates a variety of economy fan models
- Air and sound ratings are HVI Certified
- UL Listed



LED LIGHT FG600

- Quickly and easily installs in under 5 minutes
- Brilliant LED lighting illuminates darker areas of the bathroom; 750 lumens; 3000K color temperature; rated life of 25,000 hours
- No wiring needed; quick-connect plug allows you to easily connect the LED light
- No drywall cutting or patching required
- Bright white finish matches most white ceiling paint
- Compatible with existing fan housing dimensions 7¼" x 7½" and 8¼" x 8"
- Fan cover dimensions: 10¼" x 9¾"



NEW

UNIVERSAL CLEANCOVER™ FG701

- Fresh, stylish design to easily revitalize an existing fan cover
- Quickly installs in under 5 minutes
- No drywall cutting or patching required
- Universal Fit for compatibility with small, medium and large size Broan and NuTone ventilation fans
- Bright white finish matches most white ceiling paint
- Low profile seamlessly blends into the ceiling
- Fan cover dimensions: 13⅞" x 13⅞"



LED LIGHT FG500N

- Quickly and easily installs in under 5 minutes
- Brilliant LED lighting illuminates darker areas of the bathroom; rated life of 25,000 hours
- No wiring needed; quick-connect plug allows you to easily connect the LED light
- No drywall cutting or patching required
- Bright white finish matches most white ceiling paint
- Compatible with existing fan housing dimensions 7¼" x 7½" and 8¼" x 8"
- Fan cover dimensions: 11" x 9¾"



Scan the code to see the FG701 installation video

Broan Model	NuTone Model	CFM	Sones	Light	Install Time
QK60* + QK60S	QKN60* + QKN60S	60	2.5	—	< 10 min
FG600* + FG600S	FG500N* + FG500NS	—	—	LED	< 5 min
FG701* + FG701S	—	—	—	—	< 5 min

* 4-pack



NEW

INVENT® FGR300

- Retrofits InVent® ventilation fan installations
- No drywall cutting or patching
- Hides existing dry wall cuts
- Instant upgrade blends with any décor
- Bright white finish matches most white ceiling paint
- Compatible with existing fan housing dimension of 9¼" x 10"
- Fan cover dimension: 11½" x 12"
- Fits Broan® and NuTone® Roomside, Flex Series™ and InVent® Series fans without a light



NEW

ECONOMY FGR101

- Retrofits Economy Series ventilation fan installations
- No drywall cutting or patching
- Hides existing dry wall cuts
- Instant upgrade blends with any décor
- Bright white finish coordinates with most white ceiling paint
- Compatible with existing fan housing dimension of 7½" x 7¼"
- Fan cover dimension: 9¼" x 9¾"
- Fits Broan® and NuTone® Economy Series fans



SENSONIC® SPKACC

- Built-in dual high-fidelity Sensonic® speakers with Bluetooth® wireless technology
- Brilliant audio performance concealed behind your fan cover
- Play any audio through any Bluetooth® wireless device
- Provides both entertainment and privacy at the touch of a button

Broan Model	Speaker	Install Time
FGR300* + FGR300S	—	< 5 min
FGR101** + FGR101S	—	< 5 min
SPKACC	Bluetooth®	< 5 min

*4-pack
**6-pack

Quick and easy installation steps

Upgrade your look in 5 minutes.



Remove old fan cover



No drywall cutting



Plug in new upgrade



No drywall patching



Plug-in upgrade



Attach new fan cover



No wiring



NEW

Sensonic® FG800SPK

- Quickly and easily installs in under 5 minutes
- Brilliant LED lighting and Bluetooth® wireless speaker to play your favorite music, podcast or news
- No additional wiring needed. Quick-connect plug allows you to upgrade without new wiring, even if the existing cover doesn't have a light
- Soft LED lighting illuminates darker areas of the bathroom; 600 lumens; 3000K color temperature; rated life of 25,000 hours
- Fan cover dimensions: 10¼" x 9¾"



NEW

Sensonic® FG800SPKN

- Includes 2 sets of fan cover springs for use with multiple ventilation fan models
- Compatible with existing ventilation fan housing dimensions of 7½" x 7¼" and 8¼" x 8"
- Fan cover dimensions: 11" x 9¾"



NEW

SurfaceShield® FG1000VV

- SurfaceShield® LED light powered by Vital Vio® prevents bacteria, mold, and fungi growth within your room
- SurfaceShield® technology combined with Broan's powerful ventilation offers effective protection against bacteria, mold and fungi growth in your room
- Bright white finish matches most white ceiling paint
- Quickly and easily installs in under 5 minutes
- No cutting required—covers existing drywall cuts
- No additional wiring needed, plugs directly into existing lighting connection
- Compatible with existing ventilation fan housing dimensions of 9¼" x 10" (lighted fans only)
- Works with certain legacy Broan or NuTone InVent® Flex Series™, or Roomside Series lighted exhaust fans
- NOTE: Due to certain State regulations this product is not available in Indiana and Hawaii.
- Fan cover dimensions: 12¼" x 12¼"



NEW

SurfaceShield® LED module VVLED

- The VVLED upgrade light module is compatible with the following fan models: AE80BL, AE80L, AEN80BL, AEN80L, AE110L, AEN110L, AE80LK, AE110LK, AE50110DCL, AE50110DCSL
- SurfaceShield® LED light powered by Vital Vio® prevents bacteria, mold, and fungi growth within your room
- SurfaceShield® technology combined with Broan's powerful ventilation offers effective protection against bacteria, mold and fungi growth in your room
- Quickly and easily installs in under 5 minutes

For a full list of SurfaceShield® compatible models scan the code.



Broan Model	NuTone Model	Light	Speaker	Install Time
FG800SPK* + FG800SPKS	FG800SPKN* + FG800SPKNS	LED	Bluetooth® Speaker	< 5 min
FG1000VV* + FG1000VVS	—	SurfaceShield® LED	—	< 5 min
VVLED	—	SurfaceShield® LED	—	< 5 min

*4-pack



BROAN-NUTONE.COM | 800-558-1711 | 926 WEST STATE STREET, HARTFORD, WISCONSIN 53027